



HDP 2.3.2

Release Notes

Oct 2015

Md5 **VMware** Virtual Appliance - d69a0cd38041331aac36275302d6773a

Md5 **Virtualbox** Virtual Appliance- 95a7db58e609e0e016ea6130962fdfb0

HDP Stack and Ambari

The Sandbox uses the following versions of Ambari and HDP stack. Please use the following release note links provided to view Ambari and HDP stack specific information.

HDP 2.3.2 Build 2950 Release Notes

http://docs.hortonworks.com/HDPDocuments/HDP2/HDP-2.3.2/bk_HDP_RelNotes/content/ch_relnotes_v232.html

Ambari 2.1.2 Build 377 Release Notes

http://docs.hortonworks.com/HDPDocuments/Ambari-2.1.2.0/bk_releasenotes_ambari_2.1.2.0/content/ch_relnotes-ambari-2.1.2.0.html

New Features – Improvements

RMP-4549 – Prompt to remove default password after initial login

RMP-4137 – Add Zeppelin as tech preview

RMP-3553 – Ranger is administered by Ambari

RMP-3346 - Sandbox splash screen updated for ease of use

RMP-3996 – Shellinabox added for ease of use accessing console via web vs. ssh client

RMP-4292 - NfsGateway is now controlled by Ambari

RMP-3504 – Solr is packaged with HDP-Search

RMP-3652 - Turn off THP setting in the OS

RMP-4136 – Local files view added in Views

New Features – Serviceability

RMP-3179 – Sandbox version output (execute sandbox-version in the console)

Known Issues

BUG-41404 – solr displays with error with Banana “Error Collection not found at /solr/collection1”

BUG-46851 – Zeppelin view in the VMware version of Sandbox does not display.

Workaround: Put an /etc/hosts entry on your machine for sandbox.hortonworks.com. Use the ip you receive when launching the vmware image.

Fixed Issues

BUG-45810 – Shellinabox css change

BUG-42174 - Atlas hive hook is not capturing create table calls from hive cli in Sandbox

BUG-41026 - Disable Ipv6

BUG-40220 - Running pig on tez job on Sandbox generates the following error
java.lang.OutOfMemoryError: Java heap space"

BUG-37937 - Warnings showing up on the startup console virtualbox

BUG-38264 - Upgrade mysql-connector-java.jar to 5.1.29+

Limitations

This is a list of common limitations along with their workarounds.

RMP-4362 - Solr is not administered by Ambari

Workaround: You can use the following commands to start and stop solr

```
start service as root user /opt/lucidworks-hdpsearch/solr/bin/solr start -c -z sandbox.hortonworks.com
stop service as root user /opt/lucidworks-hdpsearch/solr/bin/solr stop -c -z sandbox.hortonworks.com
```

RMP-3586 - Due to dependency of the underlying OS and Virtual machine application, the following may occur when suspending the virtual machine:

-Region Server service for HBase may be stopped when returning back from suspended state. It will need to be restarted.

-Ambari Metrics may be stopped when returning back from suspended state since it now uses an embedded HBase.

Workaround: Avoid having to suspend your virtual machine.

System Information

Operating System and Java versions that the Sandbox has installed.

OS Version

CentOS release 6.7 (Final)

LSB_VERSION=base-4.0-amd64:base-4.0-noarch:core-4.0-amd64:core-4.0-noarch:graphics-4.0-amd64:graphics-4.0-noarch:printing-4.0-amd64:printing-4.0-noarch

*Java Version

java version "1.7.0_91"

OpenJDK Runtime Environment (rhel-2.6.2.2.el6_7-x86_64 u91-b00)

OpenJDK 64-Bit Server VM (build 24.91-b01, mixed mode)

**Updated from previous version*

Image File Sizes

VMware – 9.1 GB

Virtualbox –8.9 GB

Tech Preview Packages

These packages are included to allow an early look as to what we are working on.

- Ambari Views – storm-view-0.1.0.
- Zeppelin 0.6

Users / Password

Hive

Database User: hive

Database Pass: hive

Databases Used

These are a list of databases used within Sandbox along with the corresponding HDP components that use them.

- Ambari: postgres
- Hive Metastore : Mysql
- Ranger: Mysql
- Oozie: derby (embedded)

HDP Supported Components Not Installed

These components are offered by the Hortonworks distribution, but not included in the Sandbox.

- Apache Accumulo
- Apache Mahout

Newly Added HDP Supported Packages

These are packages that have recently been included into the Sandbox for this release.

Apache Spark

spark_2_3_2_0_2950-python-1.4.1.2.3.2.0-2950.el6.noarch

spark_2_3_2_0_2950-worker-1.4.1.2.3.2.0-2950.el6.noarch

spark_2_3_2_0_2950-master-1.4.1.2.3.2.0-2950.el6.noarch

spark_2_3_2_0_2950-1.4.1.2.3.2.0-2950.el6.noarch

Apache Atlas

atlas-metadata_2_3_2_0_2950-0.5.0.2.3.2.0-2950.el6.noarch

atlas-metadata_2_3_2_0_2950-hive-plugin-0.5.0.2.3.2.0-2950.el6.noarch

Hadoop Search

lucidworks-hdpsearch-2.3-.noarch (contains Apache Solr and Banana)

Installed Packages

These are a list of all the HDP installed packages in the Sandbox.

Apache Ambari

ambari-metrics-collector-2.1.2-377.x86_64
ambari-metrics-hadoop-sink-2.1.2-377.x86_64
ambari-server-2.1.2-377.x86_64
ambari-metrics-monitor-2.1.2-377.x86_64
ambari-agent-2.1.2-377.x86_64

Note: *ambari-log4j-2.0.0.1238-1.noarch is no longer provided*

Apache Ambari Views

- capacity-scheduler-2.1.2.377
- files-2.1.2.377
- pig-2.1.2.377
- tez-view-2.1.2.377
- hive-2.1.2.377
- slider-2.1.2.377

Apache Hadoop (HDFS, YARN, Mapreduce)

*hadoop_2_3_2_0_2950-2.7.1.2.3.2.0-2950.el6.x86_64
hadoop_2_3_2_0_2950-hdfs-2.7.1.2.3.2.0-2950.el6.x86_64
hadoop_2_3_2_0_2950-libhdfs-2.7.1.2.3.2.0-2950.el6.x86_64
hadoop_2_3_2_0_2950-yarn-2.7.1.2.3.2.0-2950.el6.x86_64
hadoop_2_3_2_0_2950-client-2.7.1.2.3.2.0-2950.el6.x86_64
hadoop_2_3_2_0_2950-mapreduce-2.7.1.2.3.2.0-2950.el6.x86_64

*Previous version where there were separate packages are now bundled into one package.

Apache Falcon

falcon_2_3_2_0_2950-0.6.1.2.3.2.0-2950.el6.noarch
falcon_2_3_2_0_2950-doc-0.6.1.2.3.2.0-2950.el6.noarch

Apache Hive

hive_2_3_2_0_2950-hcatalog-1.2.1.2.3.2.0-2950.el6.noarch
hive_2_3_2_0_2950-server-1.2.1.2.3.2.0-2950.el6.noarch
hive_2_3_2_0_2950-1.2.1.2.3.2.0-2950.el6.noarch
hive_2_3_2_0_2950-webhcat-1.2.1.2.3.2.0-2950.el6.noarch
hive_2_3_2_0_2950-hcatalog-server-1.2.1.2.3.2.0-2950.el6.noarch

hive_2_3_2_0_2950-server2-1.2.1.2.3.2.0-2950.el6.noarch
hive_2_3_2_0_2950-jdbc-1.2.1.2.3.2.0-2950.el6.noarch
hive_2_3_2_0_2950-webhcat-server-1.2.1.2.3.2.0-2950.el6.noarch
hive_2_3_2_0_2950-metastore-1.2.1.2.3.2.0-2950.el6.noarch

Apache Hbase

hbase_2_3_2_0_2950-thrift-1.1.2.2.3.2.0-2950.el6.noarch
hbase_2_3_2_0_2950-master-1.1.2.2.3.2.0-2950.el6.noarch
hbase_2_3_2_0_2950-1.1.2.2.3.2.0-2950.el6.noarch
hbase_2_3_2_0_2950-rest-1.1.2.2.3.2.0-2950.el6.noarch
hbase_2_3_2_0_2950-thrift2-1.1.2.2.3.2.0-2950.el6.noarch
hbase_2_3_2_0_2950-doc-1.1.2.2.3.2.0-2950.el6.noarch
hbase_2_3_2_0_2950-regionserver-1.1.2.2.3.2.0-2950.el6.noarch

Apache Flume

flume_2_3_2_0_2950-agent-1.5.2.2.3.2.0-2950.el6.noarch
flume_2_3_2_0_2950-1.5.2.2.3.2.0-2950.el6.noarch

Apache Hue

hue-common-2.6.1.2.3.2.0-2950.el6.x86_64
hue-oozie-2.6.1.2.3.2.0-2950.el6.x86_64
hue-sandbox-1.2.1-88.noarch
hue-beeswax-2.6.1.2.3.2.0-2950.el6.x86_64
hue-pig-2.6.1.2.3.2.0-2950.el6.x86_64
hue-server-2.6.1.2.3.2.0-2950.el6.x86_64
hue-tutorials-1.2.1-88.noarch
hue-hcatalog-2.6.1.2.3.2.0-2950.el6.x86_64
hue-2.6.1.2.3.2.0-2950.el6.x86_64

Apache Kafka

kafka_2_3_2_0_2950-0.8.2.2.3.2.0-2950.el6.noarch

Apache Knox

knox_2_3_2_0_2950-0.6.0.2.3.2.0-2950.el6.noarch

Apache Oozie

oozie_2_3_2_0_2950-client-4.2.0.2.3.2.0-2950.el6.noarch
oozie_2_3_2_0_2950-4.2.0.2.3.2.0-2950.el6.noarch

Apache Phoenix

phoenix_2_3_2_0_2950-4.4.0.2.3.2.0-2950.el6.noarch

Apache Pig

pig_2_3_2_0_2950-0.15.0.2.3.2.0-2950.el6.noarch

Apache Ranger

ranger_2_3_2_0_2950-hive-plugin-0.5.0.2.3.2.0-2950.el6.x86_64
ranger_2_3_2_0_2950-yarn-plugin-0.5.0.2.3.2.0-2950.el6.x86_64
ranger_2_3_2_0_2950-kafka-plugin-0.5.0.2.3.2.0-2950.el6.x86_64
ranger_2_3_2_0_2950-knox-plugin-0.5.0.2.3.2.0-2950.el6.x86_64
ranger_2_3_2_0_2950-usersync-0.5.0.2.3.2.0-2950.el6.x86_64
ranger-admin-0.5.0.2.3.2.0-2950.el6.noarch
ranger_2_3_2_0_2950-admin-0.5.0.2.3.2.0-2950.el6.x86_64
ranger_2_3_2_0_2950-hdfs-plugin-0.5.0.2.3.2.0-2950.el6.x86_64
ranger_2_3_2_0_2950-storm-plugin-0.5.0.2.3.2.0-2950.el6.x86_64
ranger_2_3_2_0_2950-hbase-plugin-0.5.0.2.3.2.0-2950.el6.x86_64
ranger-debuginfo.noarch 0:0.5.0.2.3.2.0-2950.el6
ranger-kms.noarch 0:0.5.0.2.3.2.0-2950.el6
ranger-solr-plugin.noarch 0:0.5.0.2.3.2.0-2950.el6

Apache Solr (Included in the Hadoop Search package)

Solr 5.21 lucidworks-hdpsearch-2.3-2.noarch

Apache Slider

slider_2_3_2_0_2950-0.80.0.2.3.2.0-2950.el6.noarch
storm_2_3_2_0_2950-slider-client-0.10.0.2.3.2.0-2950.el6.x86_64

Apache Spark

spark_2_3_2_0_2950-python-1.4.1.2.3.2.0-2950.el6.noarch
spark_2_3_2_0_2950-worker-1.4.1.2.3.2.0-2950.el6.noarch
spark_2_3_2_0_2950-master-1.4.1.2.3.2.0-2950.el6.noarch
spark_2_3_2_0_2950-1.4.1.2.3.2.0-2950.el6.noarch

Apache Sqoop

sqoop_2_3_2_0_2950-metastore-1.4.6.2.3.2.0-2950.el6.noarch
sqoop_2_3_2_0_2950-1.4.6.2.3.2.0-2950.el6.noarch

Apache Storm

storm_2_3_2_0_2950-0.10.0.2.3.2.0-2950.el6.x86_64
storm_2_3_2_0_2950-slider-client-0.10.0.2.3.2.0-2950.el6.x86_64

Apache Tez

tez_2_3_2_0_2950-0.7.0.2.3.2.0-2950.el6.noarch

Apache Zookeeper

zookeeper_2_3_2_0_2950-3.4.6.2.3.2.0-2950.el6.noarch

Other Packages

These are some of the installed packages in the Sandbox that the HDP components may depend on.

Python

python-devel-2.6.6-64.el6.x86_64
python-lxml-2.2.3-1.1.el6.x86_64
python-pycurl-7.19.0-8.el6.x86_64
python-iniparse-0.3.1-2.1.el6.noarch
python-libs-2.6.6-64.el6.x86_64
rpm-python-4.8.0-47.el6.x86_64
newt-python-0.52.11-3.el6.x86_64
python-argparse-1.2.1-2.1.el6.noarch
python-2.6.6-64.el6.x86_64
python-urlgrabber-3.9.1-9.el6.noarch

*difference from previous version there is now python-urlgrabber

mysql

mysql-libs-5.1.73-5.el6_6.x86_64
mysql-connector-java-5.1.17-6.el6.noarch
mysql-server-5.1.73-5.el6_6.x86_64
mysql-5.1.73-5.el6_6.x86_64

Postgres

postgresql-server-8.4.20-3.el6_6.x86_64
postgresql-8.4.20-3.el6_6.x86_64
postgresql-libs-8.4.20-3.el6_6.x86_64

HDP Services Started Automatically on Startup

When the virtual machine is booted up, the following services are started. If not specified, assume all are java processes. The users that launch the process are the corresponding names of the component. The processes are listed with their main class.

Ambari

*AmbariServer - org.apache.ambari.server.controller.AmbariServer
Ambari Agent (non java process)
*Run as root user

Atlas

Main - org.apache.atlas.Main

HDFS

*Portmap - org.apache.hadoop.portmap.Portmap

NameNode - org.apache.hadoop.hdfs.server.namenode.NameNode

DataNode - org.apache.hadoop.hdfs.server.datanode.DataNode

**Nfs

**Unlike the other processes that are launched by hdfs user, these are run as root user.*

***The nfs process doesn't show up as a name for jps output*

HIVE

*RunJar - webhcat - org.apache.hadoop.util.RunJar

RunJar - metastore - org.apache.hadoop.util.RunJar

RunJar - hiveserver2 - org.apache.hadoop.util.RunJar

**Run as hcat user*

Mapreduce

*JobHistoryServer - org.apache.hadoop.mapreduce.v2.hs.JobHistoryServer

**mapred is the user used to launch this process*

Oozie

Bootstrap - org.apache.catalina.startup.Bootstrap

Ranger (XaSecure)

*UnixAuthenticationService- com.xasecure.authentication.UnixAuthenticationService

EmbededServer- com.xasecure.server.tomcat.EmbededServer

**Run as root user*

YARN

ApplicationHistoryServer -

org.apache.hadoop.yarn.server.applicationhistoryservice.ApplicationHistoryServer

ResourceManager -

org.apache.hadoop.yarn.server.resourcemanager.ResourceManager

NodeManager - org.apache.hadoop.yarn.server.nodemanager.NodeManager

Zookeeper

QuorumPeerMain - org.apache.zookeeper.server.quorum.QuorumPeerMain

Zeppelin

ZeppelinServer - org.apache.zeppelin.server.ZeppelinServer

HDP Services not started automatically

In order to utilize the functionality of these services, they need to be turned on and require more memory to be added to the virtual machine.

HDFS

SecondaryNameNode -

org.apache.hadoop.hdfs.server.namenode.SecondaryNameNode

**Since on a single node, secondary namenode is not needed, it is not started.*

Falcon

Main - org.apache.falcon.Main

Flume

Application - org.apache.flume.node.Application

HBase

HRegionServer - org.apache.hadoop.hbase.regionserver.HRegionServer

HMaster - org.apache.hadoop.hbase.master.HMaster

Kafka

Kafka - kafka.Kafka

Knox

gateway.jar - /usr/hdp/current/knox-server/bin/gateway.jar

*ldap.jar - /usr/hdp/current/knox-server/bin/ldap.jar

**This process is a mini ldap server*

Spark

HistoryServer - org.apache.spark.deploy.history.HistoryServer

Storm

supervisor - backtype.storm.daemon.supervisor

nimbus - backtype.storm.daemon.nimbus

logviewer - backtype.storm.daemon.logviewer

core - backtype.storm.ui.core

drpc - backtype.storm.daemon.drpc

As Designed

The following are Ambari settings that one should be aware of.

- By default Ambari Metrics service is off.

- Maintenance Mode is on for
 - HDFS
 - HBase
 - Falcon
 - Storm
 - Flume
 - Ambari Metrics
 - Kafka
 - Knox
 - Spark